L Number	Hits	Search Text	DB	Time stamp
1	54790	("313").CLAS.	USPAT;	2004/05/01 17:16
-	34750	(313). OLEAD.	US-PGPUB	2004,00,01 1,110
2	81	(("313").CLAS.) and (cold adj cathode adj fluorescent adj lamp ccfl)	USPAT; US-PGPUB	2004/05/01 17:17
3	25	(("313").CLAS.) and (cold adj cathode adj fluorescent adj lamp ccfl).ab,ti,clm.	USPAT; US-PGPUB	2004/05/01 17:30
4	470	(313/485).CCLS.	USPAT; US-PGPUB	2004/05/01 17:30
5	841	(313/493).CCLS.	USPAT; US-PGPUB	2004/05/01 17:31
6	0	(313/693).CCLS.	USPAT; US-PGPUB	2004/05/01 17:31
7	0	(313/693).CCLS.	USPAT; US-PGPUB	2004/05/01 17:32
8	1059	(313/634).CCLS.	USPAT; US-PGPUB	2004/05/01 17:32
-	0	("(ccflcoldadjcathodeadjfluorescentadj(lumi		ane04gn5adjgu2d\$6").PN
-	87	(ccfl (cold adj cathode adj fluorescent adj lamp)) same (light adj guid\$5 near2	USPAT; US-PGPUB	2004/05/01 13:08
-	1414	plate) (362/31,349/65).CCLS.	USPAT;	2004/05/01 13:10
-	91	((362/31,349/65).CCLS.) and (curve\$4 angle\$4) near6 (lamp luminaire)	US-PGPUB USPAT; US-PGPUB	2004/05/01 13:11
-	123		USPAT; US-PGPUB	2004/05/01 13:11
-	11	Tuminalie	USPAT	2004/05/01 13:34
-	0	6286971.URPN.	USPAT	2004/05/01 13:36
-	6	("4811507" "4860171" "4914553" "5178447" "5982090" "6064455").PN.	USPAT	2004/05/01 13:36
-	39	4974122.URPN.	USPAT	2004/05/01 13:37
-	10	6108060.URPN.	USPAT	2004/05/01 13:46
-	5	5845035.URPN.	USPAT	2004/05/01 13:48
-	3	("4212048" "4985809" "5729311").PN.	USPAT	2004/05/01 13:49
-	8	5619351.URPN.	USPAT	2004/05/01 13:50
_	9	("4729067" "4842378" "4974122" "4985809" "5057974" "5130898" "5134549" "5283673" "5363294").PN.	USPAT	2004/05/01 13:51
_	2		USPAT	2004/05/01 13:52
1_		6231202.URPN.	USPAT	2004/05/01 13:54
-		("4842378" "4950053" "5990989" "6050704" "6108060" "6111622").PN.	USPAT	2004/05/01 13:54
-	1	6443582.URPN.	USPAT	2004/05/01 13:55
-	11	("4714983" "4965950" "5136483" "5375043" "5422751" "5590945"	USPAT	2004/05/01 13:55
	 	"5791757" "5876107" "5890794" "6102559" "6305813").PN.		
-	8	5949505.URPN.	USPAT	2004/05/01 13:56
-	37	4842378.URPN.	USPAT	2004/05/01 13:57
-	0	6669356.URPN.	USPAT	2004/05/01 14:01
-	4	("4918577" "5727862" "5949505" "6068381").PN.	USPAT	2004/05/01 14:01
-	6	5764493.URPN.	USPAT	2004/05/01 14:02
-	9	5667289.URPN.	USPAT	2004/05/01 14:03
_	13	("3892959" "3968584" "4568179" "4630895" "4648690" "4729068" "4811507" "4842378" "4860171" "4933814" "5124890" "5134549"	USPAT	2004/05/01 14:04
		"5136483").PN.		1
-	0	6674250.URPN.	USPAT	2004/05/01 14:07
-	18	("4447756" "4714983" "4767965"	USPAT	2004/05/01 14:07
		"5043627" "5147127" "5343155"		
		"5619351" "5659410" "5672936"		
		"5815277" "5899552" "5971567"		
]		"5975722" "6023131" "6042241"		
L		<u>"605</u> 0704" "6053619" "6120160").PN.		

Search History 5/1/04 5:33:08 PM Page 1

				,
-	0	ching-huang-lin.in.	USPAT;	2004/05/01 14:31
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	1	lin-ching-huang.in. huang-hua-nan.in.	USPAT;	2004/05/01 14:31
1			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
1			IBM TDB	
-	64	toppoly.as.	USPAT;	2004/05/01 14:33
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
1_	3	(C adj shap\$6) near4 (lamp luminaire) and	USPAT;	2004/05/01 14:59
1		(backlight back adj light) and (diffusing	US-PGPUB;	2001, 00, 01 11105
		light) adj (guide bar plate)	EPO; JPO;	
		l right, and (garde bar prace)	DERWENT;	
			IBM TDB	
_	74	((U C) adj shap\$6) near4 (lamp luminaire)	USPAT:	2004/05/01 15:01
	'*	and (backlight back adj light) and	US-PGPUB;	2004/03/01 13:01
	}	(diffusing light) near3 (guide bar plate)	EPO; JPO;	
		(diriusing right) hears (guide bar plate)	DERWENT;	
			IBM TDB	
_	17	((curve\$4 bent) near3 shap\$6) near4 (lamp	USPAT;	2004/05/01 14:45
-	''	((curve, 4 dent) near3 snap, 6) near4 (lamp luminaire) and (backlight back adj light)		2004/05/01 14:45
		and (diffusing light) near3 (guide bar	US-PGPUB;	
	1		EPO; JPO;	
		plate)	DERWENT;	
1_	22	((curve\$4 bent) near3 shap\$6) near4 (lamp	IBM_TDB USPAT;	2004/05/01 14:45
-			l i	2004/05/01 14:45
		luminaire) and (backlight back adj light)	US-PGPUB;	
		and (diffusing light) near3 (guide bar	EPO; JPO;	
1		plate)	DERWENT;	
		(/aumyoca bont)2 -bcc4 (3	IBM_TDB	2004/05/01 15 05
_	22	((curve\$4 bent) near3 shap\$6) near4 (lamp	USPAT;	2004/05/01 15:01
		luminaire) and (((curve\$4 bent) near3	US-PGPUB;	
		shap\$6) near4 (lamp luminaire) and	EPO; JPO;	
		(backlight back adj light) and (diffusing	DERWENT;	
]	1	light) near3 (guide bar plate))	IBM_TDB	0004/05/04 5: 55
_	10	((U C) adj shap\$6) near4 (lamp luminaire)	USPAT;	2004/05/01 14:50
		and (backlight back adj light) and	US-PGPUB;	
		(diffusing light) near3 (guide bar plate)	EPO; JPO;	
		not (((U C) adj shap\$6) near4 (lamp	DERWENT;	
		luminaire) and (backlight back adj light)	IBM_TDB	
1		and (diffusing light) near3 (guide bar		
	1 1	plate))		0004/05/04 44 54
-	10	((U C) adj shap\$6) near4 (lamp luminaire)	USPAT;	2004/05/01 14:54
		and (((U C) adj shap\$6) near4 (lamp	US-PGPUB;	
]		luminaire) and (backlight back adj light)	EPO; JPO;	
1		and (diffusing light) near3 (guide bar	DERWENT;	
		plate) not (((U C) adj shap\$6) near4 (lamp	IBM_TDB	
		luminaire) and (backlight back adj light)		
		and (diffusing light) near3 (guide bar		
_	ا ا	plate)))		0004407405 5 =
-	2	6494586.pn.	USPAT;	2004/05/01 14:54
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
		C40450C	IBM_TDB	
-	1	6494586.pn.	USPAT;	2004/05/01 14:54
			US-PGPUB;	
]			EPO; JPO;	
	_	C404506 PPDV	IBM_TDB	
-	0	6494586.URPN.	USPAT	2004/05/01 14:54
-	5	("4729067" "5038227" "5781311"	USPAT	2004/05/01 14:54
		"6185011" "6339418").PN.		
-	4	(C adj shap\$6) near4 (lamp luminaire) and	USPAT;	2004/05/01 14:59
		(diffusing light) adj (guide bar plate)	US-PGPUB;	
			EPO; JPO;	
	- 1		DERWENT;	
L			IBM TDB	

-	4	(C adj shap\$6) near4 (lamp luminaire) and (diffusing light) adj (guide bar plate)	USPAT; US-PGPUB;	2004/05/01 15:00
			EPO; JPO; DERWENT; IBM TDB	
-	9	(bow\$5) near4 (lamp luminaire) and (diffusing light) adj (guide bar plate)	USPAT; US-PGPUB;	2004/05/01 15:00
		(diffusing figure, adj (guide bar prace)	EPO; JPO; DERWENT;	
_	1	(bow) with (lamp luminaire) and (backlight	IBM_TDB USPAT;	2004/05/01 15:07
		back adj light) and (diffusing light) near3 (guide bar plate)	US-PGPUB; EPO; JPO;	
			DERWENT; IBM_TDB	
-	64	(circul\$5 lunette) with (lamp luminaire) and (backlight back adj light) and	USPAT; US-PGPUB;	2004/05/01 15:14
		(diffusing light) near3 (guide bar plate)	EPO; JPO; DERWENT; IBM TDB	
-	204	(arc arcuate) with (lamp luminaire) and (backlight back adj light) and (diffusing	USPAT; US-PGPUB;	2004/05/01 15:14
		light) near3 (guide bar plate)	EPO; JPO; DERWENT;	
_	184		<pre>IBM_TDB USPAT;</pre>	2004/05/01 15:14
		(backlight back adj light) and (diffusing light) near3 (guide bar plate)	US-PGPUB; EPO; JPO;	
	054		DERWENT; IBM_TDB	0004/05/01 15 15
_	254	(arc arcuate) near5 (lamp luminaire) and (backlight back adj light) and (diffusing light) near3 (guide bar plate)	USPAT; US-PGPUB; EPO; JPO;	2004/05/01 15:15
		light, hears (guide bar place)	DERWENT; IBM TDB	
-	222	(arc arcuate) near4 (lamp luminaire) and (backlight back adj light) and (diffusing	USPAT; US-PGPUB;	2004/05/01 15:16
		light) near3 (guide bar plate)	EPO; JPO; DERWENT;	
_	222		IBM_TDB USPAT;	2004/05/01 15:16
		((arc arcuate) near4 (lamp luminaire) and (backlight back adj light) and (diffusing light) near3 (guide bar plate))	US-PGPUB; EPO; JPO; DERWENT;	
_	10	(arc arcuate) near5 shap\$6 near4 (lamp	IBM_TDB USPAT;	2004/05/01 15:16
		luminaire) and ((arc arcuate) near4 (lamp luminaire) and (backlight back adj light)	US-PGPUB; EPO; JPO;	
	11	and (diffusing light) near3 (guide bar plate))	DERWENT; IBM_TDB	2004/05/01 15 15
_	11	(arc arcuate) near5 shap\$6 near7 (lamp luminaire) and ((arc arcuate) near4 (lamp luminaire) and (backlight back adj light)	USPAT; US-PGPUB; EPO; JPO;	2004/05/01 15:17
	:	and (diffusing light) near3 (guide bar plate))	DERWENT; IBM TDB	
-	274	(arc arcuate) with (lamp luminaire) and (backlight back adj light) and (diffusing	USPAT; US-PGPUB;	2004/05/01 15:18
		light) near3 (guide bar plate)	EPO; JPO; DERWENT;	
-	14	(arc arcuate) near5 shap\$6 near7 (lamp luminaire) and ((arc arcuate) with (lamp	IBM_TDB USPAT; US-PGPUB;	2004/05/01 15:25
		luminaire) and ((arc arcuate) with (lamp luminaire) and (backlight back adj light) and (diffusing light) near3 (guide bar	EPO; JPO; DERWENT;	
_	4	plate))	IBM_TDB USPAT;	2004/05/01 15:27
		(backlight back adj light) and (diffusing light) near3 (guide bar plate)	US-PGPUB; EPO; JPO;	
			DERWENT; IBM_TDB	

-	4	(arch) with (lamp luminaire) and ((arch)	USPAT;	2004/05/01 15:24
		with (lamp luminaire) and (backlight back	US-PGPUB;	
		adj light) and (diffusing light) near3	EPO; JPO;	
		(guide bar plate))	DERWENT;	
		(gulus bul pluss),	IBM TDB	
_	٥ ا	(serpentine) with (lamp luminaire) and	USPAT;	2004/05/01 15:24
-	1			2004/05/01 15.24
		((arch) with (lamp luminaire) and	US-PGPUB;	
		(backlight back adj light) and (diffusing	EPO; JPO;	
		light) near3 (guide bar plate))	DERWENT;	
			IBM_TDB	
-	3		USPAT;	2004/05/01 15:26
		luminaire) and ((arc arcuate) with (lamp	US-PGPUB;	
ĺ		luminaire) and (backlight back adj light)	EPO; JPO;	
		and (diffusing light) near3 (guide bar	DERWENT;	
		plate))	IBM TDB	
-	l 0	(wavy) near5 shap\$6 near7 (lamp luminaire)	USPAT;	2004/05/01 15:26
		and ((arc arcuate) with (lamp luminaire)	US-PGPUB;	
		and (backlight back adj light) and	EPO; JPO;	
		(diffusing light) near3 (guide bar plate))	DERWENT;	
		(allegang region, induto (guide but piuce))	IBM TDB	
l _	0	(lunar) near5 shap\$6 near7 (lamp	USPAT;	2004/05/01 15:26
_	I	(luminaire) and ((arc arcuate) with (lamp	US-PGPUB;	2004/03/01 13:26
		luminaire) and (backlight back adj light)	EPO; JPO;	
		and (diffusing light) near3 (guide bar	DERWENT;	
		plate))	IBM_TDB	
-	214		USPAT;	2004/05/01 15:27
1		and (backlight back adj light) and	US-PGPUB;	
1		(diffusing light) near3 (guide bar plate)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
 -	17	(serpentine) with (lamp luminaire) and	USPAT;	2004/05/01 15:27
		(backlight back adj light) and (diffusing	US-PGPUB;	
		light) near3 (guide bar plate)	EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	1	cho-guang-sup.as.	USPAT:	2004/05/01 16:05
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	4	6674250.pn.	USPAT;	2004/05/01 16:05
	1	00/1230.pm.	US-PGPUB;	2004/03/01 10:03
			EPO; JPO;	
			i e	
1			DERWENT;	
_	1	6674250 nn	IBM_TDB USPAT	2004/05/01 16:50
-	1	6674250.pn.		2004/05/01 16:58
-	1	5949505.pn.	USPAT	2004/05/01 16:26
-	1	5949505.pn. and bright\$6 same edge	USPAT	2004/05/01 16:26
-	1	5949505.pn. and bright\$6 same corner	USPAT	2004/05/01 16:35
-	1	5949505.pn. and bend\$6 same corner	USPAT	2004/05/01 16:40
] -	1	1	USPAT	2004/05/01 16:41
]		light near2 (guide plate)		
-	0	(F C F F	USPAT	2004/05/01 16:41
		light near2 (guide plate)		
-	1	6674250.pn. and (ccfl cold adj cathode adj	USPAT	2004/05/01 16:58
		fluorescent)		
_	0	(cho-guang-sup.as.).CLAS.	USPAT;	2004/05/01 17:13
			US-PGPUB	
-	1	("0000313").PN.	USPAT;	2004/05/01 17:13
			US-PGPUB	=:01,00,01 1,110
_	0	(cho-quang-sup.as.).CLAS.	USPAT;	2004/05/01 17:13
		(Jania capiaci, comic.	US-PGPUB	2004/00/01 17.10
_	О	(cho-guang-sup.as.).CLAS.	USPAT	2004/05/01 17:12
		(Circ guarry-sup.as./.CLMs.	OSEMI	2004/05/01 17:13